

Trash & Recycle Screening Guidelines

1. The following trash & recycle screenings must be submitted for IDC review & approval using the Minor Property application and requires IDC review & approval:
 - a. Any new screening structure that will be attached to another structure or embedded into the ground and will not exactly match an existing fence on the property
 - b. Installing a hedge using different plant material than listed on the "Hedge Plants for Screening" plant list.
 - c. Any new screening structure using wood lattice. Wood lattice is not recommended. Plastic lattice is not allowed.

2. Minimum height of trash & recycle screening is to be 4'.

3. Trash & Recycle screening that exactly matches a homeowners current fencing (size, color, material, etc.) can be approved by the NDC. No IDC review will be required.

4. Homeowners wanting to use a hedge for screening Trash & Recycle bins can submit one of the hedge screening options below and the NDC can approve. No IDC review will be required.

!On Hedge Plants for screening trash & recycle

Botanical Name	Common Name	Size	Remarks
Magnolia 'Little Gem'	Little Gem Magnolia	15 gal- 30 gal.	24"- 30" spacing; full to ground
Myrica cerasifera	Wax Myrtle	15 gal.	30" spacing; full to ground
Gardenia jasminoides	Gardenia	30 gal.	30"- 36" spacing; full to ground
Ilex vomitoria	Yaupon Holly	15 gal.	30" spacing; full to ground
Illicium parviflorum	Anise	15 gal.	30" spacing; full to ground
Podocarpus macrophylla	Japanese Yew	15- 30 gal.	12" -18" spacing
Viburnum odoratissimum	Sweet Viburnum	15 gal.	24" - 30" spacing; full to ground